

兔抗 MS4A1 多克隆抗体

中文名称: 兔抗 MS4A1 多克隆抗体

英文名称: Anti-MS4A1 rabbit polyclonal antibody

名: membrane spanning 4-domains A1; B1; S7; Bp35; CD20; CVID5; MS4A2; LEU-16

抗 原: MS4A1

存:冷冻(-20℃)

主: Rabbit

反应种属: Human

相关类别: 一抗

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a member of the membrane-spanning 4A gene family. Members of this nascent protein family a re characterized by common structural features and simila r intron/exon splice boundaries and display unique expres sion patterns among hematopoietic cells and nonlymphoi d tissues. This gene encodes a B-lymphocyte surface mol ecule which plays a role in the development and differen tiation of B-cells into plasma cells. This family member is localized to 11q12, among a cluster of family members. Alternative splicing of this gene results in two transcript variants which encode the same protein.
Applications:	ELISA, WB, IHC
Name of antibody:	MS4A1



www.shjning.com

	·
Immunogen:	Synthetic peptide of human MS4A1
Full name:	membrane spanning 4-domains A1
Synonyms:	B1; S7; Bp35; CD20; CVID5; MS4A2; LEU-16
SwissProt:	P11836
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human tonsil and Human cervical cancer
IHC Recommend dilution:	30-150
WB Predicted band size:	33 kDa
WB Positive control:	Raji cell lysate
WB Recommended dilution:	200-1000











