

兔抗 TAC1 多克隆抗体

中文名称: 兔抗 TAC1 多克隆抗体

英文名称: Anti-TAC1 rabbit polyclonal antibody

别 名: NK2, NPK, NKNA, TAC2, Hs.2563

相关类别: 一抗

存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: TAC1

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | This gene encodes four products of the tachykinin p eptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide K and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle cells. They are k nown to induce behavioral responses and function as vasodilators and secretagogues. Multiple transcript va riants encoding different isoforms have been found for this gene. |
|-------------------|---|
| Applications: | ELISA, IHC |
| Name of antibody: | TAC1 |
| Immunogen: | Synthetic peptide of human TAC1 |
| Full name: | Tachykinin, precursor 1 |
| Synonyms: | NK2, NPK, NKNA, TAC2, Hs.2563 |



| SwissProt: | P20366 |
|-----------------------------|------------------------|
| ELISA Recommended dilution: | 1000-5000 |
| IHC positive control: | Human esophagus cancer |
| IHC Recommend dilution: | 25-100 |

