

兔抗 NDRG1 多克隆抗体

中文名称: 兔抗 NDRG1 多克隆抗体

英文名称: Anti-NDRG1 rabbit polyclonal antibody

别 名: GC4, RTP, DRG1, NDR1, NMSL, TDD5, CAP43, CMT4D, DRG-1, HMSNL, RIT42, TARG1, PROXY1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: NDRG1

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

e superfamily. The protein encoded by this gene is a cytoplasmic protein involved in stress responses, horm one responses, cell growth, and differentiation. The en coded protein is necessary for p53-mediated caspase activation and apoptosis. Mutations in this gene are a cause of Charcot-Marie-Tooth disease type 4D, and ex pression of this gene may be a prognostic indicator f or several types of cancer. Alternatively spliced transcr ipt variants encoding multiple isoforms have been obs

erved for this gene.

This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolas



Applications:	ELISA, WB, IHC
Name of antibody:	NDRG1
Immunogen:	Synthetic peptide of human NDRG1
Full name:	N-myc downstream regulated 1
Synonyms :	GC4, RTP, DRG1, NDR1, NMSL, TDD5, CAP43, CMT4D, DRG-1, HMSNL, RIT42, TARG1, PROXY1
SwissProt:	Q92597
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human brain and Human esophagus cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	43 kDa
WB Positive control:	Human lymphoma tissue
WB Recommended dilution:	500-2000







