

兔抗 PPIC 多克隆抗体

中文名称：兔抗 PPIC 多克隆抗体

英文名称：Anti-PPIC rabbit polyclonal antibody

别名：peptidylprolyl isomerase C; CYPC

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：PPIC

反应种属：Human, Mouse

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the peptidyl-prolyl cis-trans isomerase (PPIase) family. PPIases catalyze the cis-trans isomerization of proline imidic peptide bonds in oligopeptides and accelerate the folding of proteins. Similar to other PPIases, this protein can bind immunosuppressant cyclosporin A.
Applications:	ELISA, WB, IHC
Name of antibody:	PPIC
Immunogen:	Fusion protein of human PPIC
Full name:	peptidylprolyl isomerase C
Synonyms:	CYPC
SwissProt:	P45877
ELISA Recommended dilution:	5000-10000

IHC positive control:	Human thyroid cancer and Human ovarian cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	23 kDa
WB Positive control:	Mouse pancreas tissue lysate
WB Recommended dilution:	200-1000



