

兔抗 PTK2(Ab-843) 多克隆抗体

中文名称: 兔抗 PTK2(Ab-843) 多克隆抗体

英文名称: Anti-PTK2(Ab-843) rabbit polyclonal antibody

别名: FAK; FADK; FAK1; FRNK; PPP1R71; p125FAK; pp125FAK

储 存: 冷冻(-20℃) 避光

抗 原: PTK2(Ab-843)

宿 主: Rabbit

反应种属: Human

相关类别: 一抗

标记物: Unconjugate

克隆类型: Unconjugate

技术规格

Background:	This gene encodes a cytoplasmic protein tyrosine kinase w hich is found concentrated in the focal adhesions that for m between cells growing in the presence of extracellular matrix constituents. The encoded protein is a member of t he FAK subfamily of protein tyrosine kinases but lacks sign ificant sequence similarity to kinases from other subfamilies .
Applications:	WB, IHC
Name of antibody:	PTK2(Ab-843)
Immunogen:	Synthesized peptide derived from Internal of human FAK.
Full name:	protein tyrosine kinase 2



www.shjning.com

Synonyms:	FAK; FADK; FAK1; FRNK; PPP1R71; p125FAK; pp125FAK
SwissProt:	Q05397
IHC positive control:	Human colon carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	119 kDa
WB Positive control:	Huvec cells and MCF7 cells lysates
WB Recommended dilution:	500-3000





