

# 兔抗 NDC80 多克隆抗体

中文名称： 兔抗 NDC80 多克隆抗体

英文名称： Anti-NDC80 rabbit polyclonal antibody

别 名： HEC; HEC1; TID3; KNTC2; HsHec1; hsNDC80

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

抗 原： NDC80

宿 主： Rabbit

反应种属： Human Mouse

标记物： Unconjugate

克隆类型： Unconjugate

## 技术规格

<b>Background:</b>	This gene encodes a component of the NDC80 kinetochore complex. The encoded protein consists of an N-terminal microtubule binding domain and a C-terminal coiled-coiled domain that interacts with other components of the complex. This protein functions to organize and stabilize microtubule-kinetochore interactions and is required for proper chromosome segregation.
<b>Applications:</b>	WB, IF
<b>Name of antibody:</b>	NDC80
<b>Immunogen:</b>	Synthesized peptide derived from internal of human KNTC2.
<b>Full name:</b>	NDC80 kinetochore complex component
<b>Synonyms :</b>	HEC; HEC1; TID3; KNTC2; HsHec1; hsNDC80
<b>SwissProt:</b>	O14777

WB Predicted band size:	74 kDa
WB Positive control:	Jurkat cells lysate
WB Recommended dilution:	500-3000
IF positive control:	Huvec cells
IF Recommend dilution:	100-500





上海纪宁

[www.shjning.com](http://www.shjning.com)

