

## 兔抗 MAP3K11 多克隆抗体

中文名称: 兔抗 MAP3K11 多克隆抗体

英文名称: Anti-MAP3K11 rabbit polyclonal antibody

别 名: MLK3; PTK1; SPRK; MLK-3; MEKK11

相关类别: 一抗

存: 冷冻 (-20℃)

主: Rabbit

抗 原: MAP3K11

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

## 技术规格

| Background:       | The protein encoded by this gene is a member of the seri ne/threonine kinase family. This kinase contains a SH3 dom ain and a leucine zipper-basic motif. This kinase preferentia lly activates MAPK8/JNK kinase, and functions as a positive regulator of JNK signaling pathway. This kinase can directly phosphorylate, and activates IkappaB kinase alpha and beta , and is found to be involved in the transcription activity o f NF-kappaB mediated by Rho family GTPases and CDC42. |
|-------------------|---|
| Applications:     | ELISA, WB, IHC  |
| Name of antibody: | MAP3K11   |
| Immunogen:        | Synthetic peptide of human MAP3K11  |
| Synonyms:         | MLK3; PTK1; SPRK; MLK-3; MEKK11   |
| SwissProt:        | Q16584  |



| ELISA Recommended dilution: | 5000-10000  |
|-----------------------------|---|
| IHC positive control:       | Human tonsil and Human gastric cancer             |
| IHC Recommend dilution:     | 50-100  |
| WB Predicted band size:     | 93 kDa  |
| WB Positive control:        | LO2 and PC-3 cell lysates                         |
| WB Recommended dilution:    | 500-2000  |
| Full name:                  | mitogen-activated protein kinase kinase kinase 11 |











