

兔抗 WDR1 多克隆抗体

- 中文名称: 兔抗 WDR1 多克隆抗体
- 英文名称: Anti-WDR1 rabbit polyclonal antibody
- 别名: WD repeat domain 1; AIP1; NORI-1; HEL-S-52
- 相关类别: 一抗
- 储存: 冷冻(-20℃)
- 宿 主: Rabbit
- 抗原: WDR1
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	This gene encodes a protein containing 9 WD repeats. W D repeats are approximately 30- to 40-amino acid domain s containing several conserved residues, mostly including a trp-asp at the C-terminal end. WD domains are involve d in protein-protein interactions. The encoded protein ma y help induce the disassembly of actin filaments. Two tran script variants encoding different isoforms have been foun d for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	WDR1
Immunogen:	Fusion protein of human WDR1
Full name:	WD repeat domain 1
Synonyms:	AIP1; NORI-1; HEL-S-52
SwissProt:	075083



www.shjning.com

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human tonsil
IHC Recommend dilution:	30-150
WB Predicted band size:	66 kDa
WB Positive control:	A172 cell lysate
WB Recommended dilution:	200-1000







